



Trade Sales Catalogue 2025-2026



Prices are indicative only and may be subject to change.
Excludes GST and Freight/Delivery charges.

CONTENTS

PLASTIC FILMS.....	2
PLASTIC FILMS	3
TAPES	4
ADD-ONS.....	5
INTERCEPT PRODUCTS.....	9
INTERCEPT SHRINK FILM	9
INTERCEPT CI COPPER FILMS	10
INTERCEPT BAGS	11
CORROSION INTERCEPT (OPAQUE COPPER).....	11
STATIC INTERCEPT (BLACK).....	12
COPPER/CLEAR FACE & TRANSLUCENT COPPER BAGS	12
OTHER INTERCEPT PRODUCTS	13
R.I.B.S. MOISTURE VARIABLE TRANSMISSION RATE (MVTR) BAGS (SILVER)	13
INTERCEPT FOAMS	13
INTERCEPT WOVEN – CLEAR FACE SLEEVE.....	13
ARCHIVAL INTERCEPT.....	13
GUN BAG.....	14
INTERCEPT CANVAS FABRIC	14
INTERCEPT CORROSION CONTROL (ICC) PRE-WELDED BAGS.....	15
PRE-WELDED BAGS	15
SEA CONTAINER LINER (ANTI-STATIC GREY)	16
MONARFLEX CONTAINMENT SHEETING	17
CLEAR SHEETING	17
FLAME RETARDANT SHEETING	17
AGRICULTURAL SHEETING.....	18
FIXINGS.....	18
DESICCANTS.....	19
SHIPPING DESICCANTS & SILICA GEL	19
PACKAGING DESICCANTS	20
HUMIDITY INDICATORS	20
HARDWARE AND CONSUMABLES.....	21
HARDWARE AND TOOLS.....	21

PLASTIC FILMS



Unless otherwise noted, all our plastic films are UV-resistant for at least 12 months of outdoor exposure. Our films are made from Low Density Polyethylene (LDPE) providing an effective barrier to moisture and dust.

Large surface area films are packaged as folded sheets rolled onto a core for easier handling and dispensing. Intercept East recommend the use of our mobile film dispenser (URTO-091).

Heat shrink films can be shrunk and welded using hand-held gas heat guns. For small items, electric 2000W heat guns are suitable. For larger items, Intercept East offers the Ripack 3000 (URTO-RIPACK-3000) and the Big Red Plus Extension (URTO-020 & URTO-030).



Plastic Films

Item Number	Description
URPF-010	Intercept (R) Anti-Corrosion UV Heat Shrink Film White 1.8/6.09m x 45.7m x 200um (61Kg)
URPF-085	Low Slip No Shrink Clear 3.5m x 50m x 150um
URPF-100	Powershrink UV Plastic Film White 1.6/12m x 50m x 200um (121Kg)
URPF-110FR	Powershrink UV 6m x 50m x 200um Flame Retardant
URPF-116	Powershrink UV Plastic Film White 1.8/6m x 60m x 200um (73Kg)
URPF-120	Powershrink UV Plastic Film White 1.3/5m x 50m x 200um (53Kg)
URPF-125	Powershrink UV Plastic Film Clear 2/4m x 50m x 180um (31Kg)
URPF-130	Stretch Film Clear 450m x 500mm x 20um
UROP-020	Shrink UV Clear Pallet Bags on roll (25/ Roll) 1245mm x 1195mm x 1850mm x 150um (\$8.01ea)
URPS-PB-1500	UV Powershrink 200um Pallet Base or Top Sheet 1500mm x 1500mm
UROP-022	Shrink UV Clear Drum Bags on roll (100 / Roll) 1250mm x 500mm + 475mm Gusset + 150um

TAPES

Intercept East supplies tapes specifically for use with the heat shrink films when wrapping up objects or building temporary containment structures. The main characteristics are:

- **Adhesive Strength** – Adhesive strength is important. High strength Adhesives may be hard to remove or leave residues when removed. Low strength glues may not be strong enough to withstand transport conditions.
- **Waterproof** – Important for transport and storage, especially for sealing welded plastic seams.
- **Low Residue** – How much adhesive residue does the tape leave when removed? For wrapping applications, low residue is important, especially when sealing plastic edges to painted surfaces.
- **UV Resistant** – UV resistance is important for medium- to long-term open air storage.
- **Heat Shrink** - For heat shrink applications, the tape can also be shrunk.

Tape Characteristics	Adhesive	Waterproof	Low Residue	UV Resistant	Heat Shrink
UV White Shrink Tape	✓ Very High	✓ Yes	✓ Yes	✓ Yes	✓ Yes

Item Number	Description
URTA-121	UV White PE 48mm x 50m (UV)
URTA-131	UV White PE 96mm x 50m (UV)
URTA-111	UV White PE 152mm x 50m (UV)
URTA-140	Splicing (Dbl-side) Tape 48mm x 50m
URTA-201-1	Orange Intercept Logo Tape 72mm x 66m

ADD-ONS



Intercept East manufactures a range of “add-on” products for use when wrapping objects or building temporary containment structures. The most common of these add-ons are the zippered windows of varying sizes.

The zippered windows are used in a wide variety of situations such as allowing access to lifting points (avoiding the need to cut into the plastic when hoisting), inspection ports to view gauges or for customs / quarantine inspections, for personnel access points, larger zipper doors are available.

The straight zips sold in pairs (URAO-020 and URAO-050) create roll-up zippered doorways.

Application of the zippered windows and doors is simple; they come with double-sided tape ready for instant application to taut pre-shrunk plastic film.

Item Number	Description
URAO-020	Door – set of 2 x 2m pre-sewn Zips
URAO-050	Door – set of 2 x 3m Pre-sewn Zips
URAO-067	Flat water Drain with IC Foam/ Stick on Air Vent
URAO-074	Zippered Window / Inspection Port / Lifting Point Curve-Shape 0.15mW x 0.1mH
URAO-074RF	Zippered Window / Inspection Port / Lifting Point Curve-Shape 0.15mW x 0.1mH with rain flap

Item Number	Description
URAO-075	Zippered Window / Inspection Port / Lifting Point Curve-Shape 0.3mW x 0.12mH
URAO-075RF	Zippered Window / Inspection Port / Lifting Point Curve-Shape 0.3mW x 0.12mH with rain flap
URAO-075CRF	Clear Inspection Window 0.3 x 0.12 with Velcro Rain Flap
URAO-085	Zippered Inspection Window Curve-Shape 0.3mW x 0.12mH Sealed Clear PVC viewing window.
URAO-155	Zippered Window / Inspection Port / Lifting Point U-Shape 0.25W x 0.4mH
URAO-155RF	Zippered Window / Inspection Port / Lifting Point U-Shape 0.25W x 0.4mH with rain flap
URAO-070	Zippered Window/ Inspection Port / Lifting Point Curve-Shape 0.6mW x 0.3mH
URAO-070RF	Zippered Window/ Inspection Port / Lifting Point Curve-Shape 0.6mW x 0.3mH with rain flap
URAO-070CRF	Zippered Inspection Window Curve-Shape 0.6m x 0.3m Sealed Clear back with Velcro Rain Flap
URAO-080	Zippered Window / Inspection Port / Lifting Point U-Shape 0.8mW x 0.6mH
URAO-080RF	Zippered Window / Inspection Port / Lifting Point U-Shape 0.8mW x 0.6mH with rain flap
URAO-095RF	Window 0.6m x 0.6m rain flap
URAO-010	Zippered Window / Inspection Port / Lifting Point U-Shape 0.8mW x 0.9mH
URAO-010RF	Zippered Window / Inspection Port / Lifting Point U-Shape 0.8mW x 0.9mH with rain flap

URAO-130	Zippered Window / Inspection Port / Lifting Point Banana-Shape 1mW x 0.3mH
URAO-135RF	Zippered Window / Inspection Port / Lifting Point Banana-Shape 1.2mW x 0.35mH with rain flap
URAO-136RF	Window 1.6 x 0.45m (B3) zippered window with Rain Flap
URAO-100	Zippered Window / Inspection Port / Lifting Point U-Shape 1.0mW x 0.6mH
URAO-110	Zippered Window / Inspection Port / Door U-Shape 1.2m x 1.0m
URAO-120	Zippered Window / Inspection Port / Door U-Shape 2.0m x 1.0m
URAO-140	Zippered Window / Inspection Port / Door U-Shape 2.4m x 1.0m
URAO-160RF	160mm Straight Zipper with rain flap
URAO-300	Straight Zipper 0.3m
URAO-300RF	Straight Zipper 0.3m with rain flap
URAO-500	Straight Zipper 0.5m
URAO-500RF	Straight Zipper 0.5m with rain flap
URAO-800	Straight Clear Inspection Window 0.3 x 0.12 with velcro Rain Flap Zipper 0.8m
URAO-800RF	Straight Zipper 0.8m with rain flap

Item Number	Description
URAO-ID-80x90mm	Clear PVC ID Plate Window with Velcro rain Flap 80mm x 90mm
URAO-ID-240x160mm	Clear PVC Rain Flap Cylinder ID plate window 240mmx160mm, 370mmx270mm OD
URAO-A4	A4 Powershrink/Clear Tape Sealed Document Window
URAO-A3	A3 Powershrink/Clear Tape Sealed Document Window
URAO-DNC-S	Small Do Not Cut self adhesive UV PP Sticker 150 x 100mm
URAO-DNC-M	Medium Do Not Cut self adhesive UV PP Sticker 190 x 125mm
URAO-DNC-L	Large Do Not Cut self adhesive UV Vinyl Sticker 300mm x 190mm
URAO-CP-S	Small Corrosion Protected self adhesive UV PP Sticker 150mm x 100mm
URAO-CP-M	Medium Corrosion Protected self adhesive UV PP Sticker 190 x 125mm
URAO-CP-L	Large Corrosion Protected self adhesive UV PP Sticker 300mm x 190mm
URAO-IA-LOGO-S	Intercept Logo Clear
URAO-IA-WRAP-L	Intercept wrapping small sticker 800X150mm

INTERCEPT PRODUCTS

Intercept Technology™ is the new generation of corrosion prevention which provides an active protection for many materials. The technology has been applied for over 20 years in the most extreme conditions and has proven its performance for long-term applications. The technology works rather different to other existing anti-corrosion protection technologies. Today the technology is applied in a variety of products and applications to offer better, safer preservation and allow for sometimes drastic reductions in processing costs for our clients.

This section includes a wide range of useful products:

- Intercept Shrink Film
- Intercept bags, including zip-lock and anti-static (SDAC).
- Archival Intercept
- Moisture Variable Transmission Rate (MVTR) RIBS bags/films
- Custom Canvas bags
- Electronic & Optical Protection bags (SDAC)
- Intercept Fabric/Canvas
- Intercept Woven
- Intercept Containers
- Intercept heat-sealed plastic bags in standard shapes and sizes.
- Intercept heat-sealed cylinder bags for use in applications such as hydraulic rams.

Intercept CI Copper Films

Item No	Description
URPF-022	CI Anti-Corrosion Stretch Film Copper: 500mm x 600m x 35um (cling)
URPF-022-100MM	CI Anti-Corrosion Stretch Film Copper: 100mm x 600m x 35um (cling)
URPF-022-200MM	CI Anti-Corrosion Stretch Film Copper: 200mm x 600m x 35um (cling)
URICC-191	CI Translucent Intercept Layflat Tube (Copper): 1m x 152m x 75um (23.75 KG)
URICC-191-25	CI Translucent Intercept Layflat Tube (Copper): 1m x 25m x 75um (3.65 KG)
URICC-194	CI Translucent Intercept Layflat Tube (Copper): 1.5m x 100m x 75um (22 KG)
URICC-190	CI Opaque Intercept Layflat Tube (Full Copper): 1m x 152m x 75um (23.75 KG)
URICC-190-25	CI Opaque Intercept Layflat Tube (Full Copper): 1m x 25m x 75um (3.65 KG)

INTERCEPT BAGS



Intercept Anti-Corrosion bags provide the fastest and easiest method to protect smaller machined and metallic items. Options include zip-lock or open top bags, and optional anti-static (SDAC) for electronic protection. Intercept East carries the bags listed here, and we can order any size to suit your requirements for minimum orders of 5,000 bags.

Corrosion Intercept (Copper)

Item Number	Description
URICC-155Z	Corrosion Intercept (Copper) Plastic Bags 75mm x 125mm (3" x 5") Ziplock
URICC-160	Corrosion Intercept (Copper) Plastic Bags 150mm x 225mm (6" x 9")
URICC-120Z	Corrosion Intercept (Copper) Plastic Bags 200mm x 250mm (8" x 10") Ziplock
URICC-161Z	Corrosion Intercept (Copper) Plastic Bags 225mm x 254mm (9" x 10") Ziplock
URICC-170	Intercept Corrosion Control (Copper) Plastic Bags 250mm x 300mm (10" x 12")
URICC-165Z	Corrosion Intercept (Copper) Plastic Bags 250mm x 300mm (10" x 12") Ziplock
URICC-170TZ	Corrosion Intercept Translucent (Copper) Plastic Bags 250mm x 300mm (10" x 12") Ziplock
URICC-175	Corrosion Intercept Copper Perforated flat bag 508mm x 711mm (20" x 28") 500 bags on Roll (\$2.68ea)
URICC-CI-T-42x42	Corrosion Intercept Translucent Copper Perforated flat bag 1066mm x 1066mm x 76um (42" x 42" x 3mil), 125 bags on a Roll (\$8.73ea)
T-GB-1244x1193x2362	Corrosion Intercept Translucent Copper Perforated UV Stabilised Gusseted bag 1244 x 1193 x 2363mm Long x 76um thick (49" x 47" x 93" x 3mil), opens to 1700mm height: 50 bags on a Roll (\$38.80ea)

Static Intercept (Black)

Item Number	Description
URICC-110Z	Static Dissipative + Intercept Corrosion Control (Black) Plastic Bags 100mm x 150mm (4" x 6") Ziplock
URICC-SI-120Z	Static Dissipative + Intercept Corrosion Control (Black) Plastic Bags 203mm x 250mm (8" x 10") Ziplock
URICC-130Z	Static Dissipative + Intercept Corrosion Control (Black) Plastic Bags 250mm x 300mm (10" x 12") Ziplock
URICC-140	Static Dissipative + Intercept Corrosion Control (Black) Plastic Bags 375mm x 450mm (15" x 18")
URICC-145	Static Dissipative + Intercept Corrosion Control (Black) Plastic Bags 450mm x 600mm (18" x 24")

Copper Translucent Copper Bags

Item Number	Description
URICC-150TZ	Intercept Corrosion Control (Translucent Copper) Plastic Bags 75mm x 100mm (3" x 4") Ziplock
RI-J-4X4CS	Intercept Translucent Divided Ziplock bags: 100mm X 100mm (4"x 4")
URICC-170TZ	Intercept Corrosion Control (Translucent Copper) Plastic Bags 250mm x 300mm (10" x 12") Ziplock

OTHER INTERCEPT PRODUCTS

R.I.B.S. Moisture Variable Transmission Rate (MVTR) Bags (Silver)

Item Number	Description
URIC-200X150MZ	RIBS MVTR Foil Bag + Static Dissipative 200mm x 150mm (8" x 6") Ziplock
	RIBS MVTR Foil Bags Customized sizes

Intercept Foams

Item Number	Description
URICC-710	Static Intercept (Black) Laminated Foam Sheets (Black) 1000mm x 1050mm (40" x 42")
URICC-FOAM200x160	Intercept Corrosion (Copper) Open Cell Foam Sheet 200mm x 160mm x 10mm.
URICC-FOAM300x200	Intercept Corrosion (Copper) Open Cell Foam Sheet 300mm x 200mm x 10mm

Intercept Woven – Clear Face Sleeve



Intercept Woven is treated with maximum UV, is a tough and durable material ideal for preserving spare parts and equipment against corrosion. (Preservation for indoor use only).

Item Number	Description
URWO-320SLEEVE	Intercept Woven – Clear Face Sleeve 320 x 320mm
URWO-520SLEEVE	Intercept Woven – Clear Face Sleeve 520 x 520mm
URWO-720SLEEVE	Intercept Woven – Clear Face Sleeve 720 x 720mm
URWO-1500SLEEVE	Intercept Woven – Clear Face Sleeve 1500 x 1000mm
	Intercept Custom Woven Covers

Archival Intercept

Item Number	Description
URICC-205	CD- stick on label (Qty: 100)
URICC-210	CD- 8 to a page (Qty: 100)
URICC-215	CD- Clear face holders (Qty: 100)
URICC-220	CD- Sleeves (Qty: 100)
URICC-225	Comic Envelopes (Pack of 10)
RT-JBSP	Anti-Tarnish Jewellery Velveteen Drawstring Pouches 100mm x 140mm
URICC-230	ICCF (Corrosion Filter) Fans Each
URICC-FOAM200x160	ICCF (Copper) Foam Filter (for fans) Open Cell Foam Sheet 200mm x 160mm x 10mm.
CF-236	ICCF Activated Carbon Foam Pads (Pack of 2)

Gun Bag

Item Number	Description
URRT-RS-1250	Rifle Sleeve - CI Gun Bags 120cm (48")W x 30cm (12")H

Intercept Canvas Fabric



Intercept Canvas combine the advantages of a strong, UV Treated canvas with the anti-corrosion characteristics of Intercept. Excellent for re-usable applications such as covers for exposed machinery and frequently used equipment in harsh environments. Can be used for indoor and outdoor preservation.

Description
Intercept Custom Canvas Covers

Intercept Corrosion Control (ICC) pre-welded Bags



Provide a fast and easy way to protect cylindrical equipment, perfect for hydraulic rams of all sizes.

Pre-Welded Bags

Item Number	Description
IC2-FB-750x1100	ICC2 Flat Bag 75cm Width x 110cm Length (Pack of 4)
IC2-FB-750x1300	Intercept 2 Flat bag 75cm X 130cm (Pack of 4)
URPS-CB-010	Power Shrink Cylinder Bag 160 cm circumference x 120 cm length (Pack of 4)
URWO-CB-010	UV Woven Cylinder Bag 160 cm Circumference x 120 cm length
URPS-CB-020	Power Shrink Cylinder Bag 200cm circumference x 135cm length (Pack of 4)
URWO-CB-020	UV Woven Cylinder 200cm Circumference x 135 length
IC2-FB-1000x1500	Intercept 2 Flat Bag 1m(Opening) X 1.5m
IC2-FB-1500x1000	Intercept 2 Flat Bag 1.5m(Opening) x 1m
IC2-FB-2000x1500	Intercept 2 Flat Bag 2m(Opening) X 1.5m
IC2-FB-3000x2000	Intercept 2 Flat Bag 3m(Opening) X 2m
IA-ICC-SPB	ICC Intercept Anti-Corrosion Shrink film Pallet Bag: 1245 x 1195 x 2000mm (LWH) x 200um thick. Includes 1 x 16 Unit desiccant and 2 x Corrosion Protected & 1 x Do Not Cut sticker

For the 3 packs listed below, all are square based bags, 200um UV Intercept Anti-corrosion Shrink Film, with clear strip on one side. Includes 1 x reusable cable tie, 2 x 8 unit clay desiccants, an Intercept Anti-Corrosion Sticker and a humidity indicator card for each bag.

URICC-PBC-1950	Bag size: 830 x 800 x 1950 for Pallet size: 830 x 800 x 800, Pack of 5 bags
URICC-PBC-1450	Bag size: 650 x 600 x 1450 for Pallet size: 650 x 600 x 600, Pack of 5 bags
URICC-PBC-2900	Bag size: 1245 x 1195 x 2900 for Pallet size: 1245 x 1195 x 1600, Pack of 2 bags

Sea Container Liner (Anti-Static Grey)

Item Number	Description
IC2-20-ft-container	ICC2 Intercept Corrosion Control 20ft Container Liner with Desiccants (16unit X 16)
IC2-40-ft-container	ICC2 Intercept Corrosion Control 40ft Container Liner with Desiccants (16unit X 30)
	ICC2 Intercept Corrosion Control 20ft Container Liner without Desiccant
	ICC2 Intercept Corrosion Control 40ft Container Liner without Desiccant

MONARFLEX CONTAINMENT SHEETING



Monarflex provides a fast, durable and reliable containment system. It is also re-usable time after time for the removal of lead based paint, other toxic substances or to contain dust and debris on a construction site.

Monarflex fastening systems are fast and simple to use. Eyelets spaced at regular intervals throughout the roll are sealed until used.

Reinforced polyethylene sheeting products, including:

- Scaffold Sheeting
- Flame Retardant Sheeting
- Agricultural Sheeting
- General Purpose Sheeting
- Fixing Accessories - Reusable

Clear Sheeting

Item Number	Description
URMO-25486	Icoscaff Clear 155gsm (2m x 45m)
URMO-21623	Scaffband Stripe 175gsm (2m x 45m)
URMO-21643	Scaffband Stripe 175gsm (2.25m x 40m)
URMO-21721	Scaffband Stripe 175gsm (4m x 36m)
URMO-14257	Super T Plus Clear 245gsm (2.25m x 40m)
URMO-14269	Super T Plus Clear 245 gsm (4.0m x 36m) I

Flame Retardant Sheeting

Item Number	Description
URMO-25744	IcoScaff FR 155gsm (2mx45m)
URMO-21614	Scaffband Stripe Flamesafe 175gsm(2mx45m)
URMO-21629	Scaffband Stripe Flamesafe 175gsm(3mx45m)
URMO-27093	Scaffband Stripe Flamesafe 175gsm(4mx36m)
URMO-31116	Super T Flamesafe 255gsm (2m x 45m)
URMO-14335	Super T Flamesafe 255gsm (4m x 36m)
URMO-26337	Monarsound FR Acoustic 600gsm (2.25m x 10m)

Agricultural Sheeting

Item Number	Description
URMO-13905	Monarflex Ultra 250: Clear 2m x 25m (260gsm) 12x12mm green thread
URMO-14206	Monarflex Ultra 250: Clear 4m x 25m (260gsm) 12x12mm green thread

Fixings

Item Number	Description
URMO-14351	Strap
URMO-14349	Strap & Anchor
URMO-14353	Flexitie
URMO-14354	Fixostrap
URMO-22629	Tarp Connector
URMO-14357	Polytoggle
URMO-14358	Wedge
URMO-3100763	Self-Adhesive Eyelet Discs
URAO-HDPE-CLIP	Scaffold Tube Clip: 48mm Yellow HDPE Plastic

DESICCANTS

Shipping Desiccants & Silica Gel



Shipping Desiccants main ingredient is Calcium Chloride that has a vigorous absorption uptake over a large temperature range. This offers superior performance and total protection of your Sea Container Cargo.

Item Number	Description
IA-125G-CC	Calcium Chloride Gel: 125g Tyvek with Square adhesive backing
URDE-ABS10	Calcium Chloride & Silica Gel Pouch (indicator window) 100g
IA-CODC-91-10	Calcium Chloride desiccant Strip 1 kg with hook (Hang or Lay flat)
IA-CODB-91-10	Dry Pole 1 kg with hook and cardboard shell
URDE-ABS01	Calcium Chloride Desiccant Hanging Bag 1.5kg with hook
URDE-ABS03	Calcium Chloride Hanging Pole Desiccant 1.6 kg with hook
URDE-MD-2K	Container Mineral Desiccant 2 kg with hook
IA-100g-SG	Silica Gel Indicating (Orange/Green) 100g Non-Woven
IA-200g-SG	Silica Gel Indicating (Orange/Green) 200g Non-Woven
IA-500g-SG	Silica Gel 500g White Non-Woven
IA-50G-SD	Silica Gel 50g White Non-Woven
IA-1G-SD	Silica Gel 1g Sachet-PE Clear
URDE-SB-25	Silica Gel Beads (Blue/Pink indicating) 25KG Drum

Please note all desiccants must be ordered in box quantity, except Hanging Poles available by units.

Packaging Desiccants

The Clay (MIL-Spec) range is a non-toxic Montmorillonite **clay** desiccant, in Tyvek pouches, that offers a superior desiccant solution in both its design and use of absorbent materials. The materials absorb well at all humidity levels and effectively lock in trapped moisture to reduce re-evaporation & prevent oversaturation.



***N.B. 1 Clay Unit = 33 grams**

Item Number	Description
IA-1/2U-TY	Clay Desiccant 1/2 unit (16g)
IA-1U-TY	Clay Desiccant 1 unit (33g)
IA-4U-TY	Clay Desiccant 4 unit (132g)
IA-8U-TY	Clay Desiccant 8 unit (264g)
IA-16U-TY	Clay Desiccant 16 unit (528g)

Oxygen Absorbers

Item Number	Description
IA-OAI-30CC	30CC sachet 45x35mm 2.3g
IA-OAI-50CC	50CC sachet 50x40mm 3.4g
IA-OAI-100CC	100CC sachet 60x40mm 5.5g
IA-OAI-200CC	200CC sachet 65x45mm 7.6g

Humidity Indicators

Item Number	Description
URHW-RH40-70	HDPE Humidity Indicator Plug RH% 40/50/60/70
URAO-RH-Kit	Clear PVC Rain Flap Cylinder ID plate window 80mm x 90mm with Humidity Indicator RH 40% to 70%

HARDWARE AND CONSUMABLES

Hardware and Tools

Item Number	Description
URHW-010	Buckles 19mm Webbing (Pack100)
URHW-011	Cardboard Angle 1750 x 50 x 50 x 4 edging (Pack of 25)
URHW-061	Strapping Poly Woven 19mm x 500m Orange, 1000Kg breaking strain
URTO-060	Tensioner to suit 19mm Poly Woven Strapping
URTO-091	Film Portable Dispenser (Split bar) with Stands – 180cm
URTO-040	Left Hand Gloves (Pair)
URTO-RIPACK-3000	Ripack 3000 Heat Gun (includes regulator, spare igniter & hose, requires LPG gas bottle)
URTO-011	Igniter for Ripack 2200 Heat Gun
URTO-027	Combustion Nozzle for Ripack 2200
URTO-019	Spark Plug for Ripack 2200

Item Number	Description
URTO-012A	Complete ignition wire for Ripack 2200 Heat Gun
URTO-016	Replacement Gas Hose 10m
URTO-020	Big Red Heat Gun
URTO-030	Big Red Extension
URAO-DNC-S	Small Do Not Cut self adhesive UV PP Sticker 150 x 100mm
URAO-DNC-M	Medium Do Not Cut self adhesive UV PP Sticker 190 x 125mm
URAO-DNC-L	Large Do Not Cut self adhesive UV Vinyl Sticker 300mm x 190mm
URAO-CP-S	Small Corrosion Protected self adhesive UV PP Sticker 150mm x 100mm
URAO-CP-M	Medium Corrosion Protected self adhesive UV PP Sticker 190 x 125mm
URAO-CP-L	Large Corrosion Protected self adhesive UV PP Sticker 300mm x 190mm